Approved For Release 2001/07/26: CIA-RDP67R00587A000100130011-0

ADM-6,2

OFL-1174/64

MEMORANDUM FOR: Director of Legistics

BUBLECT

: Request the Initiation of a Contract with for the fabrication of

25X1A5a1

25X1D0d i. GSD/OEL is proceeding with a program for the develop-25X1D0d Hem in the system, is acheduled for a 2 February 1964 delivery to this Mice. 25X1A5a1 2. We have requested a fixed price proposal for the fabrication of a field magnetic tape recorder and a compatible tape reproducer. The recorder/reproducer is a critical subsystem of the 25X1D0d 25X1D0d 25X1A5a1 3. It is requested that a contract be initiated with in accordance with their attached proposal detect 25X1A5a1I 25X1A1a 25 November 1964. Funds in the amount of are encumbered for this purpose. Therease of the above indicated unexpensely. 25X1A5a1 be given verbal it is requested that authorization to proceed with the contract agon completion of nesolialiene. 25X1A5a1 is being held responsible for the development of the not have a capability for the development and fabrication of magnetic 25X1D0d tage transports. Consequently, the intent of the subject request is to hold the contractor primarily responsible for the recorder!

reproducer combination satisfying Agency system specifications.



UEL-1174/44 Page Iwo

5. The association of this contract with the Agency is classified SECRET, but all equipment and reports are to be DMCLASSIFIED. The cognisent project engineer is 25X1A9a estencios 4915.

25X1A9a

CRORGE (. MILLER Appletant Director for ELIST Directorals of Science and Technology

APPROVEDI

1 5 DEC 1964

ALBERT D. WHEFLON

Attachments:

A. Contractor's Proposal

B. Requisition

Distribution:

Oh I - Addrabace w/atte

1 - EO/DD/S&T

1 - 5LO/DD/56T w/att 5

1 - BAF/DD/SAT

1 - DD/S&T Chroso

2 - DD/S&T Reg.

25X1A9a

25X1A9a

1 - Staff/OEL

2 - DB/CSD w/att B

2 - LSB/OEL

1 - OIL Reg.

mh/4518 (27 November 1964)

Origination: DB/GSD/OEL VSah/4491 (8 December 1964) RETYPED: LSB/OFL/

25X1A9a

MISSING PAGE

ORIGINAL	DOCUMENT	MISSING PAGE(S):
6/0	ATTS.	